
Commercial Fishing Vessel Safety Examination Checklist

Documented 65 to less than 79 feet in length Outside Boundary Line 20 to less than 50nm from coast



GENERAL VESSEL REQUIREMENTS				
Vessel Name:	Number:			
BRIDGE & DOCUMENTS				
33 CFR 173 46 CFR 67	Certificate of Documentation: Current and onboard Markings: Name of vessel on both sides of bow/name and hailing port on stern; contrasting colors.	O Yes O No O N/A		
46 CFR 28.165	Injury Placard (All Vessels)	O Yes O No O N/A		
33 CFR 155.450	Oil Pollution Placard (Vessels ≥ 26 Feet)	O Yes O No O N/A		
33 CFR 151.59	MARPOL (Garbage) Placard (Vessels ≥ 26 Feet)	O Yes O No O N/A		
33 CFR 151.57	Waste Management Plan Written plan on vessel's garbage procedures	O Yes O No O N/A		
33 USC 1602 33 USC 2020 72 COLREGS	Navigation Lights: Required during darkness and/or in or near areas of restricted visibility (fog) Side Lights (112.5°) Side screens painted matte black Masthead (225° and Sternlight 135°) Fishing lights Red over White (360°) 1 meter apart, required on all fishing vessels except TROLLERS. Trawlers use green over white.	O Yes O No O N/A		

33 USC 1602 33 USC 2020 72 COLREGS	Dayshapes Required fishing dayshape, two black cones apex to apex. Not required on TROLLERS.	O Yes O No O N/A
33 USC 1602 33 USC 2020 72 COLREGS	Sound Producing Devices: Required a powered whistle AND 11.8 inch bell	O Yes O No O N/A

LIEECAVINC				
46 CED 20 110	LIFESAVING			
46 CFR 28.110	Personal Flotation Devices (PFDs)			
46 CFR 28.135	Immersion Suit. One for each person on board.	O Yes O No O N/A		
46 CFR 28.140	Marked with name and retroreflective tape			
	Properly maintained in good working order and in good shape			
	Stowed readily accessible			
	Personal Marker Light attached			
	Coast Guard approved			
	Batteries replaced annually (alkaline) or expiration date (others)			
46 CFR 28.115	Ring Life Buoys: Required 3 orange ring life buoys, 24 inches in diameter.	OV ON- ONA		
46 CFR 28.113	a. Marking with name and retroreflective tape	O Yes O No O N/A		
40 CFK 28.133				
	b. 1 ring buoy is required to have 90 feet of line attached.			
46 CFR 28.120	c. Stowed readily accessible in good working condition. Survival Craft:			
46 CFR 28.120 46 CFR 28.125				
	Inflatable Liferaft with SOLAS B (Limited) equipment pack			
46 CFR 28.130	Stowed in a float-free arrangement. Proper weak-link.	O Yes O No O N/A		
46 CFR 28.140	Properly serviced Hydrostatic release serviceable			
46 CFR 28.145	Visual Distress Signals			
46 CFR 28.140	3 Parachute Flares (#160.136 or .036)	O Yes O No O N/A		
	6 Handheld Flares (#160.121 or .021)			
46 CED 20 150	3 Smoke Signals (#160.122 or .022 or .037)			
46 CFR 28.150	Emergency Position Indicating Radio Beacon (EPIRB):			
46 CFR 25.26	Category I Automatically Activated/Float Free 406 MHz EPIRB			
46 CFR 28.135	Battery not expired	O Yes O No O N/A		
47 CFR 80	Current Registration with NOAA			
46 CFR 28.140	Hydrostatic Release not expired			
	Unit marked with vessel's name			
	ENGINE ROOM/MISCELLANEOUS			
	Portable Fire Extinguishing Equipment:			
46 CFR 28.155	Number required depends upon configuration of vessel. Typical:			
46 CFR 28.160	2 C-I in Pilothouse each in vicinity of exit	O Yes O No O N/A		
46 CFR 25.30	1 B-II or C-II in Galley			
	2 B-II in Machinery/Engine space			
	1 B-II located outside of Auxiliary spaces			
	Approved by USCG, UL or FM.			
	Good Condition/Pressure gauge OK or weighed and tagged if no gauge.			
	Mounted properly in bracket			
33 CFR 159.7	Marine Sanitation Device: Required only if there is an INSTALLED toilet.	O Yes O No O N/A		
	Type III: Holding tank to prevent overboard discharge. Overboard valve must be			
	secured			
POLICY	Excess Safety Equipment: Any safety equipment (PFDs, EPIRBs, Survival			
	Craft, Fire Extinguishers, Visual Distress Signals) that is in excess than what is			
	required on board must meet one of the following:			
	 Serviced and properly maintained in good working order, 			
	2. Marked "For Training Only" and kept separate from serviceable items, or			
	3. Removed from the vessel.			

ADDITIONAL REQUIREMENTS FOR DOCUMENTED VESSELS OPERATING BEYOND THE BOUNDARY LINE OR WITH MORE THAN 16 PEOPLE ON BOARD

BRIDGE				
46 CFR 28.210	First Aid/CPR Required a First Aid Kit/Medicine Chest and First Aid Manual More than 2 POB: One person trained in First Aid and CPR by approved course.	O Yes O No O N/A		
46 CFR 28.225	Navigation Publications Charts for Safe Navigation CG Light List US Coast Pilot Tidal and Current Tables	O Yes O No O N/A		
46 CFR 28.230	Magnetic Compass/Compass Deviation Table	O Yes O No O N/A		
46 CFR 28.245 47 CFR 80 33 CFR 26.03 46 CFR 28.375	Communication Equipment Required 2 VHF-FM radios/monitor CH 13 and CH16/Transmit on CH22A 2-4 MHz SSB (Vessels that operate in Alaskan waters must have a 2-27.5 MHz SSB) May substitute a cellular phone or satellite communications system Must have 3 hour emergency power supply	O Yes O No O N/A		
47 CFR 80.405	FCC Ship Station License	O Yes O No O N/A		
46 CFR 28.240	General Alarm System Flashing Red Light in Engine Room (only if a manned space)	O Yes O No O N/A		
46 CFR 28.250	High Water Alarms (Vessels ≥ 36 feet) Required in all floodable spaces (typically engine room, fish hold and lazarette) Must have audible and visual alarm at operating station	O Yes O No O N/A		
46 CFR 28.265	Emergency Instructions (Must be posted on vessels with 4 or more POB otherwise may be kept readily available).	O Yes O No O N/A		
46 CFR 28.270	Instructions, Drills, & Safety Orientation Emergency Drills required to be conducted monthly Safety Orientation required beginning of season and for new crewmembers Person conducting drills must have Drill Instructor/Conductor Training	O Yes O No O N/A		
46 CFR 28.235	Anchors & Radar Reflectors Suitable anchor for vessel's size and areas of operation. Must be at the ready. Radar Reflector for non-metallic hulls.	O Yes O No O N/A		
	ENGINE ROOM			
46 CFR 28.215	Guards for Exposed Hazards Must have suitable guards over pulleys, rotating equipment, hot surfaces such as exhaust piping and electrical covers.	O Yes O No O N/A		
46 CFR 28.255	Bilge Pump, Piping & Dewatering Systems	O Yes O No O N/A		

CFVS VESSEL CHECKLIST GUIDELINES

This booklet is to be used to record voluntary examinations of commercial fishing industry vessels. It provides a summary list of Coast Guard requirements to examiners and owners/operators of commercial fishing industry vessels. This checklist should be used in conjunction with the regulations or other aids developed by the Coast Guard to assist in understanding of the regulations.

For a Voluntary Dockside Commercial Fishing Vessel Safety Exam contact:
Marine Safety Office Puget Sound
206-217-6208

1-800-688-6664 ext. 6208

Exams are provided FREE of charge. Schedule one today!